Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L19	50	"418".clas. and ("scroll compressor" with (expander or generator))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:33
L20	6	"418".clas. and ("scroll compressor" with (expander or generator) with hermetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:35
L21	67	"418".clas. and ("scroll compressor" with rotat\$3 with (expand\$3 or generat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:37
L22	6	"418".clas. and ("scroll compressor" with rotat\$3 with (expand\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:39
L23	0	"418".clas. and ("scroll compressor" with rotat\$3 with motor with generator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:40
L24	1	"418".clas. and ("scroll compressor" with rotat\$3 with generator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:42
L25	7	"418".clas. and ("scroll compressor" near4 (used or utilized) near4 (generator or expander))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:47
L26	1	"418".clas. and "scroll generator"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:47 •

S1	251	(418/241).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR <sub>.</sub>	OFF	2007/03/23 11:00
S2	4	S1 and spring and seal and (oring or o-ring or "o ring")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/14 14:53
<b>S3</b>	1892	(418/54,57,61.1,61.3).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/14 14:53
S4	96	S3 and spring and (seal or sealing) and (oring or o-ring or "o ring")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON .	2007/03/14 15:50
S5	118	(hermetic with compressor) and spring and (seal or sealing) and (oring or "o-ring" or "o ring")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OŖ	ON	2007/03/14 15:50
S6	1459	(418/62,63,64,66,67).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/14 15:50
<b>S7</b>	16	S6 and spring and (seal or sealing) and (oring or o-ring or "o ring")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/14 15:55
S8	679	(418/91,157,159).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/14 15:55

S9	12	S8 and spring and (seal or sealing) and (oring or o-ring or "o ring")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/14 16:32
S10	91	(418/130).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/14 16:31
S11	0	S10 and spring and (seal or sealing) and (oring or o-ring or "o ring")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/14 16:32
S12	2918	(277/606,608,609,618-619,370,377, 404).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/26 14:45
S13	2918	277/606.CCLS. OR 277/608.CCLS. OR 277/609.CCLS. OR 277/618-619. CCLS. OR 277/370.CCLS. OR 277/377.CCLS. OR 277/404.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/23 11:02
S14	76	S12 AND ((SEALED OR HERMETIC) WITH (COMPRESSOR OR PUMP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/23 13:37
S15	6	(S12 AND ((SEALED OR HERMETIC) WITH (COMPRESSOR OR PUMP))) not shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/23 13:41
S16	48	(S12 AND ((SEALED OR HERMETIC) WITH (COMPRESSOR OR PUMP))) not shaft.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/23 14:36

					· ·	
S17	183	S12 and (intake or suction or inlet) and (tube or conduit or pipe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/23 14:48
S18	7267	hermetic with compressor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/26 10:05
S19	3581	(hermetic with compressor).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/26 10:05
S20	3235	S19 and compressor.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/26 10:06
S21		S20 and spring and ("o ring" or "o-ring" or oring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/26 11:16
S22	26	("2839898"   "3133429"   "3238400"   "3790309"   "3922114"   "4059777"   "4312627"   "4396361"   "4477233"   "4552518"   "4573324"   "4741177"   "4850816"   "4995791"   "5322420"   "5350039"   "5464332"   "5623829"   "5687766"   "6131406").PN. OR ("6634870").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 12:54
S23	8	("3009012"   "4104484"   "4420210"   "4904551"   "5118260"   "5215451"   "5422437").PN. OR ("5791884").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 13:29
S24	17	("2043849"   "3509907"   "4988269"   "5147189"   "5302087"   "5346373"   "5362216").PN. OR ("5733108").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 13:31

S25		("2214086"   "2373909"   "2973011"   "3031861"   "3209991"   "3401602"   "3515497"   "3542405"   "3767334"   "3806977"   "3870440"   "3871800"   "4129503"   "4160625"   "4240774"   "4245858"   "4277211"   "4518324"   "4518330").PN. OR ("4639198"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 13:36
S26	23	("1647447"   "1961453"   "3767334"   "3833984"   "3870440"     "3871800"   "4061367"     "Re25653").PN. OR ("4240774").   URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 13:56
S27	152	(compressor and ((suction or intake) with (seal or sealing))).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 13:58
S28	20	("3352564"   "3396903"   "3509907"   "4115044"   "4203608"   "4385872"   "4408967"   "4537566"   "4635949"   "4721443"   "4810591").PN. OR ("5022833"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 14:16
S29	2918	(277/606,608,609,618-619,370,377, 404).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/03/26 14:47
S30	0	S29 and (face and (inlet or suction or intake) and (tube or pipe or conduit)).ab. and (("o-ring" or "oring" or "o ring") with groove with face)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/26 14:48
S31	2	S29 and (face and (inlet or suction or intake) and (tube or pipe or conduit)) and (("o-ring" or "oring" or "o ring") with groove with face)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/26 14:50
S32	7	S29 and (("o-ring" or "oring" or "o ring") with groove with face with (tube or pipe or conduit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/26 15:15

S33	7	(S29 and (("o-ring" or "oring" or "o ring") with groove with face with (tube or pipe or conduit))) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	.2007/03/26 14:52
S34		("0329931"   "0944423"   "1523817"   "3224080"   "3586350"   "3831951"   "3981066"   "4073307"   "4258925"   "4519636"   "4886303"   "5087504").PN. OR ("5564177").URPN.	US-PGPUB; USPAT; USOCR	OR .	ON	2007/03/26 14:52
S35	20	("1460623"   "2885227"   "3184247"     "3765647").PN. OR ("3831951"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 14:56
S36	30	("2778598"   "2861773"   "2925994"   "3050077"   "3054594"   "3131906"   "3210042"   "3421733"   "3565392"   "3618893").PN. OR ("3765647").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 14:59
S37	21	("0329931"   "1523817"   "3586350"   "3831951"   "4258925"   "4519636"   "4886303"   "5087504").PN. OR ("5490680"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 15:04
S38	5	S29 and (seal with face with (tube or pipe or conduit) with spring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/26 15:16
S39	7	S29 and (seal with face with (tube or pipe or conduit or "air shaft" or "ventilating shaft" or duct) with spring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/26 15:20
S40	2	(S29 and (seal with face with (tube or pipe or conduit or "air shaft" or "ventilating shaft" or duct) with spring)) not S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/26 15:21
S41	116	(S29 and (seal with face with (tube or pipe or conduit or "air shaft" or "ventilating shaft" or duct))) not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR ,	ON	2007/03/26 15:22

		#**				
S42	47	(S29 and (seal with face with (tube or pipe or conduit or "air shaft" or "ventilating shaft" or duct)) and spring) not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/26 15:23
S43	10	("4684004"   "5054743"   "5163722"   "5222631"   "5419013"   "5848780"   "5960841"   "5993412").PN. OR ("6129361"). URPN.	US-PGPUB; USPAT; USOCR	OR.	ON	2007/03/26 15:27
S44	17	("1528334"   "2818285"   "2992842"   "3033579"   "3080170").PN. OR ("4786061").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 15:31
S45	26	("2839898"   "3133429"   "3238400"   "3790309"   "3922114"   "4059777"   "4312627"   "4396361"   "4477233"   "4552518"   "4573324"   "4741177"   "4850816"   "4995791"   "5322420"   "5350039"   "5464332"   "5623829"   "5687766"   "6131406").PN. OR ("6634870").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 16:02
S46	10	("2867458"   "2997435"   "3469862"   "3488067"   "3850796").PN. OR ("4055199").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 17:06
S47	375	"418".clas. and compressor and hermetic and spring	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 17:33
S48	19	compressor and (intake with metal with (seal or "o ring" or "o-ring"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/27 08:42
S49	41202	(metal and seal).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/27 08:43
S50	30	(metal and seal).ab. and compressor and intake	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR ·	ON	2007/03/27 08:46

S51	15	(metal with ("o-ring" or "o ring" or seal) with (intake or inlet or duct)) and compressor.ab. and shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/27 08:48
S52	830	"277".clas. and ((metal or metallic) with ("o ring" or "o-ring" or seal) with (benefit or advantage or improved or better or characteristic))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/03/27 12:31
S53	82	"277".clas. and ((metal or metallic) with ("o ring" or "o-ring" or seal) with (benefit or advantage or improved or better or characteristic)) and compressor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR ,	ON	2007/03/27 12:32